


JANITORIAL



TCI operates numerous manufacturing production and assembly factories including, a mop and broom factory, a shoe factory, box factory, soap and detergent factory. Individuals working in these locations are responsible for producing agency necessities such as correctional officer and staff uniforms, cleaning products, and mattresses; products consumed by state agencies, cities, counties, and schools; and Texas State license plates. Common job assignments include sewing machine operator, accounting clerk, machine operator, quality assurance technician, and material handler. Depending on the facility assigned, inmate workers can obtain OJT's, and an apprenticeship for Assembly Technician.



BRUSHES AND BROOMS



HAND SCRUB BRUSH

An ideal tough all-purpose brush for all scrubbing duties. Plastic block 2.75" x 8". Choice of top grade synthetic Polypropylene filament or 100% white Tampico fiber. 1.25" tuft trim, minimum of 65 tufts per brush. Specification #: 485-10-2

	Qty.	
485-10-76550-5	12	White Tampico Filling
485-10-76800-4	12	Plastic

FLOOR BRUSHES



(HANDLE NOT INCLUDED)

Structural foam plastic block with 2 handle holes threaded for .9375" diameter handles. Block W 2.625", beveled and shaped. Choice of filling: select gray Tampico fiber with matching horsehair border; chemical-resistant black polypropylene plastic; 65% nylon and 35% horsehair mixture, 22.9375", tuft trim, .1875" hole size. Available in 2 sizes for each type of filling. Requires threaded handle. Specification #: 458-10-17

	Qty.	
485-10-58250-4	12	18" Floor Push Brush Tampico
485-10-58350-2	12	24" Floor Push Brush Tampico
485-10-58260-3	12	18" Floor Push Broom Black Polypropylene Plastic
485-10-58360-1	12	24" Floor Push Broom Black Polypropylene Plastic
485-10-58268-6	12	18" Floor Push Broom Nylon/Horsehair
485-10-58368-4	12	24" Floor Push Broom Nylon/Horsehair

RADIATOR BRUSH



Natural gloss finish hardwood handle with hanging hole, overall minimum length 23.75". Thickly-filled brush part 8.75" long, one row of minimum 28 tufts, .1875" hole size. Filling is 100% stiff black horse hair. Specification #: 485-10-10

	Qty	
485-10-71065-9	12	Black/Horsehair

WHITE GONG POT BRUSHES



Designed to clean difficult shapes and curved surfaces. Features a plastic block. Block width 2 .875"; brush face 5" x 5.5". Choice of top grade white Tampico or durable and rugged deep crimp white nylon, 2" tuft trim, minimum 56 tufts, .28125" hole size. Hanging hole in handle. Available in two handle sizes with each type of filling. Specification #: 485-10-3

	Qty.	
485-10-67090-3	12	8" Tampico Filling
485-10-67160-4	12	20" Tampico Filling
485-10-67083-8	12	8" Nylon Filling
485-10-67148-9	12	20" Nylon Filling

BRUSHES, BROOMS, SQUEEGEE, AND HANDLES



(HANDLE NOT INCLUDED)

FLOOR DECK BRUSH

Natural finish sealed hardwood block with two tapered handle holes for 1.125" diameter handle. Block size 3" x 10". Filled with top grade brown (polypropylene) fiber. Specification #: 485-10-6

	Qty.	
485-10-94505-7	12	54" Tapered Handle
485-10-94600-6	12	60" Tapered Handle
485-10-53020-6	12	10" Floor Deck Brush




(HANDLE NOT INCLUDED)

OUTDOOR PUSH BROOM CLASS II

Ideally suited for streets, parks, pavement and concrete floors. Perfect for highway and municipal sanitation departments. Smooth finished hardwood block, 3.5" x 16", with two tapered handle holes for 1.125" diameter handle. Filled with brown polypropylene filament, outlasting natural fiber 4 to 1. Resistant to acid, alkali, alcohol, gasoline, kerosene and other chemicals and hydrocarbons. Water absorption of polypropylene fiber is less than .03% and will not soften when used in water up to 250° F. Abrasion and crush resistance is excellent compared to natural fiber. Never brittle, even below freezing. Formulated to resist prolonged exposure to sunlight and has a strong and steady brushing action with a bounce-back performance. Requires tapered handle, 6.25" trim. Specification #: 485-10-5

	Qty.	
485-10-94505-7	12	54" Tapered Handle
485-10-94600-6	12	60" Tapered Handle
485-10-18300-6	6	Outdoor Push Broom



(HANDLE NOT INCLUDED)

SQUEEGEE

Natural finish sealed hardwood block, 3" x 18" with one tapered handle hole for 1.125" diameter handle. Quality chemical-resistant black neoprene blade, .25" thick by 1" trim. Uses tapered handle. Specification #: 485-88-1

	Qty.	
485-88-89180-3	12	18"

HANDLES

Handles are smoothly finished hardwood, straight and round at the handle end. Threaded end measures .9375" in diameter, finished with clear lacquer, with threaded metal tip. Tapered handles are 1.125" in diameter, finished with a varnish type sealer. Specification #: 485-10-8

	Qty.	
485-10-93318-6	12	54" Threaded
485-10-93457-2	12	60" Threaded
485-10-94505-7	12	1.125 x 54" Tapered
485-10-94600-6	12	1.125 x 60" Tapered

JANITORIAL



BROOMS AND MOPS



UTILITY BROOM

Long wearing and long lasting light duty utility broom. Manufactured of top grade broomcorn. Handles are made of smooth pine or hardwood, at least 46" to 46.5" in length. Specification #: 485-10-19

Qty.

485-10-28100-8 12 Utility Broom



CORN BROOM (PARLOR BROOM)

Fine quality broomcorn, heavy tinned steel wire and three-ply spun twine with high tensile strength. Handle made of smooth yellow pine or hardwood, sanded and finished with lacquer.

Specification #: 485-10-1

Qty.

485-10-15191-2 12 #2 Handle 15/16" x 42"

485-10-15370-2 12 #3 Handle 1-1/8" x 42"



WHISK BROOM CLASS-1

Long-wearing and long lasting whisk brooms. Three rows of stitching with strong twine, solid wrapped handle with ball cap and handle ring. Made of tough, resilient broomcorn, 11" long.

Specification #: 485-10-18

Qty.

485-10-15450-2 12 Whisk Broom



STICK MOPS

Quality mop head, of 100% middling graded cotton, firmly attached to sanded or painted handle, making a single durable unit.

Qty.

485-72-58160-0 12 54" 16 oz

485-72-58165-9 12 60" 16 oz

485-72-58200-4 12 54" 20 oz

485-72-58205-3 12 60" 20 oz

485-72-58240-0 12 54" 24 oz

485-72-58245-9 12 60" 24 oz

MOP HEAD COTTON (WET)

Our finest quality mop head, constructed of middling cotton, free from sizing or any other loading material. Head bound with plastic mesh to help mop head maintain shape and for quick drying. Sewn with parallel rows of strong nylon threads to have a high mop tensile strength. Machine wash, gentle, tumble dry, low.

Qty.

485-72-33160-0 48 16 oz

485-72-33162-6 24 24 oz

485-72-33164-2 24 32 oz





MOPS AND HANDLES



MOP HEADS, MAXIMUM COVERAGE

Manufactured from continuous looped end, blended cotton and synthetic yarn for maximum absorbency and durability. Head bound with plastic mesh to help mop head maintain shape and for quick drying. Synthetic tape provides maximum floor coverage by holding the mop in shape and prevents tangling. Machine wash, gentle, tumble dry, low.

Qty.

485-72-37152-3 36 Small 16 oz

485-72-37177-0 24 Medium 24 oz



MOP HEAD RAYON (WET)

Constructed of an eight-ply viscose rayon mop rowing. Head bound with plastic mesh to help mop head maintain shape and for quick drying. These mop heads are designed for use with clamp type mop handles. Machine wash, gentle, tumble dry, low.

Qty.

485-72-33175-8 48 16 oz

485-72-33177-4 36 24 oz

485-72-33179-0 24 32 oz



COTTON WAX APPLICATOR

Finest quality, sturdy cotton wax applicator of 100% cotton, free of sizing and other loading material sewn parallel rows of strong nylon threads of high tensile strength. Head bound with plastic mesh to help mop head maintain shape and for quick drying. Lower part of mop has .75" strip of sheeting across strands to prevent tangling or fraying, as well as to provide additional floor coverage. Machine wash, gentle, tumble dry, low.

Qty.

485-04-11188-0 36 16 oz

485-04-11193-0 24 24 oz



RAYON WAX APPLICATOR

Constructed of eight-ply viscose rayon mop rowing to reduce shrinkage caused by hot water and commercial dryers. These mop heads are designed for use with clamp type mop.

Qty.

485-04-16150-5 36 16 oz

485-04-16170-3 24 24 oz



MOP HANDLES (WET) - QUICK GRIP

Made from hardwood, sanded to a smooth finish, sealed and coated with a clear gloss lacquer. 54" or 60" handle; zinc plated .25" mild steel rod. Allows for removal of mop head with release of a lever.

Qty.

485-72-30140-5 12 54"

485-72-26300-1 12 60"





DUST MOPS



DUST MOP HEADS, COTTON DRY INDUSTRIAL

Dry mop heads are made to Texas Specification Codes. The backing is made of pre-shrunk synthetic cloth fabric mesh. The mop head yarn is made of high quality 10-ply/5 cotton yarn and tie tapes are made of nylon. All points of strain on the backing and tie tapes are bar-tacked for added strength. Dust mop contains additional yarn and is designed for a greater pick up and dust holding ability necessary to perform extra hard jobs. Dust mop mounts on 5" plastic frame.

Qty.

485-70-48130-8	48	18"
485-70-48190-2	36	24"
485-70-48195-1	36	30"
485-70-48210-8	24	36"
485-70-48240-5	24	48"



PLASTIC DUST MOP FRAMES

Rugged all plastic construction - no metal. Ribbed design keeps mop flat to the floor surface, maximizing dusting ability of mop strands; ribbing acts as beater when shaking out mops.

485-70-40293-2	5 x 18"
485-70-40295-7	5 x 24"
485-70-40302-1	5 x 30"
485-70-40305-4	5 x 36"

JANITORIAL



DUST MOP SWATH

Connector Bracket

485-70-40292-4



DUST MOP CLIP-ON HANDLE WITH PLASTIC HEAD

485-70-40291-6





CLEANER AND DETERGENTS



LIME SOL (COMPARED TO CLR®)

Acid-Type Cleaner

LIME SOL is a powerful formula designed to dissolve stubborn lime and calcium deposits along with surface rust stains from most ceramic type tubs, toilet bowls, sinks, glass, chrome, fiberglass, stainless steel, concrete and shower heads. Use only with clean water. Do not mix with any other cleaning supplies. Dilute as needed or use full strength. LIME SOL is corrosive in nature. Always wear rubber gloves and eye protection when handling this product. Avoid breathing fumes. Use in well ventilated areas.

Specification: 485-84-1A

485-84-36075-3 6-1 Gallon/Case



DE-JEST

Institutional Laundry Detergent

De-Jest is formulated for institutional laundry use and is not designed for conventional home use washers. Effectively removes grease, dirt and grime from most fabrics. Works well on food service uniforms. For best results use: 1 cup of detergent per 100 lbs. of laundry.

Specification: 435-56-01C

505-35-50613-8 100 lb. Drum
505-35-50609-8 5 Gal. Pail/30 lbs.



CLENZOL (COMPARED TO SIMPLE GREEN®)

Heavy Duty Detergent

CLENZOL is a concentrate degreaser/cleaner that requires dilution. One Gallon will make up to 64 gallons of cleaner. CLENZOL can be used to cut thick stubborn grease found on kitchen floors, mechanic shop high bay floors, industrial plant floors, etc. Can be used on concrete, painted surfaces, stainless steel, sealed wood, walls, plastic and glass. Other packaging available upon request.

Specification: 485-18-1

485-18-36405-3 6-1 Gallon/Case





CLEANER AND DETERGENTS



STRIPPY (COMPARED TO FRANKLIN SPEED SOPE™)

Floor Polish Remover Concentrate

STRIPPY is a non-ammoniated floor finish stripper formulated to remove modern day floor finishes and sealers from various surfaces such as vinyl, tile, linoleum, concrete and terrazzo. Do not use on wood or cork flooring. Dilute 3 to 12 ozs. of STRIPPY per Gallon with water Other packaging available upon request.

Specification: 485-54-09A

485-55-60100-3 6-1 Gallon/Case



MEL-TEX (COMPARED FRANKLIN NOVA-X™)

Floor Wax

MEL-TEXT is an industrial strength low gloss synthetic floor finish. For best results use on surfaces composed of linoleum, vinyl, synthetic tiles and sealed surfaces such as terrazzo and wood. It requires no dilution. One Gallon covers approximately 900 sq. ft.

Specification: 485-54-28A

485-54-36056-9 6-1 Gallon/Case

JANITORIAL



SEAL ALL (COMPARED TO FRANKLIN ACCOLADE™)

Floor Sealer

SEAL ALL is an acrylic polymer floor sealer that contains 18% solids. For use on terrazzo, masonry, marble, vinyl, rubber and linoleum flooring. Before applying to the floor, be certain that all old wax has been thoroughly stripped and the floor is completely cleaned and dried. For best results strip old wax floor using Texas Specification Number 485-54-09A (STRIPPY). Follow label instructions carefully.

Specification: 485-54-06

485-54-36737-4 6-1 Gallon/Case





CLEANER AND DETERGENTS



CRYSTAL CLEAN (COMPARED TO ULTRA DAWN®)

Dishwashing Cleaner

CRYSTAL CLEAN cuts through tough grease to make your dishes, pots, pans and plastics squeaky clean. Directions: 1 teaspoon per Gallon of warm water. Various amounts may be used depending on soil type. Other packaging available upon request.

485-38-40257 12-16 oz/Case



CL-DWC (COMPARED TO SUNLIGHT®)

Dishwashing Compound

This is a high alkaline formulation designed to cut stubborn grease and grime from dishware. This product, designed for most mechanical dishwashing systems is safe on glassware, plastic and silverware. For best results use 1 cup per 25 gallons of hot water.

Specification: 485-38-03B

485-38-37113-3 5 Gallon Pail, 30 lbs.



GENTEEL (COMPARED TO PALMOLIVE ULTRA®)

Dishwashing Liquid

GENTEEL is a high foaming neutral synthetic detergent intended for hand dishwashing use in an industrial or commercial type kitchen. For best results use .25 cup per 5 gallons of warm water. Tough grease may require slightly more soap solution.

Specification: 485-38-4

485-38-36270-7 12/32 oz./Case
485-38-36300-2 6-1 Gallon/Case



CLEANER AND DETERGENTS



SUNBRITE (COMPARED TO LIQUID CHEER®)

Liquid Laundry Detergent

SUNBRITE is a liquid laundry detergent. Effectively cuts through grease, dirt and grime. Special formula is biodegradable and contains whiteners, brighteners and stain removers. Effectively cleans in all temperatures and is safe to use with bleach. For best results use .75 cup per 18 lbs of laundry.

Specification: 505-35-07

505-35-49050-7 6-1 Gallon/Case



DLB (COMPARED TO LEVER DRY BLEACH®)

Dry Laundry Bleach

DLB is a dry powder, chlorine based dry laundry bleach that is safe for use on all bleachable fabrics. This industrial formula contains effective cleaning compounds formulated to remove stubborn stains and give maximum whitening results. Use as directed.

Specification: 505-25-04A

505-25-36073-1 5 Gallon Pail, 30 lbs.



BIPPY (COMPARED TO COMET®)

Chlorinated Powder Cleaner

BIPPY is a dry, powdered mildly abrasive scouring cleaner designed to clean hard surfaces such as porcelains, pots, pans, stoves, bath tubs, basins, drain boards and ceramic tiles. It is specially formulated to bleach stains and is biodegradable.

485-29-10200-5 12-20 oz/Case

485-20-00001-8 100 lb. Bag



TUFF ORANGE (COMPARED TO GOJO®)

Waterless Hand Cleaner

This Waterless hand cleaner removes ink, dirt, grease, oil and numerous other soils from hands. Use with or without water.

485-14-36130-1 12 - 20 oz Jars Per Case

485-14-36130-0 2 Gallon Pail

485-14-36010-5 1 Gallon with Pump (1 Gallon Per Case)



CLEANER AND DETERGENTS



ECOGLASS (COMPARED TO WINDEX®)

Glass Cleaner

EcoGlass is an environmentally friendly, streak free glass cleaner that requires no dilution. Works great on glass, windows, windshields, mirrors, chrome, stainless steel, plastic, enamel, ceramic tile and porcelain. Not recommended for use on wood, varnished surfaces or window tint. Contains no alcohol or ammonia. Other packaging available upon request.

485-28-42001-0 6-1 Gallon Case



SPARKLE (COMPARED TO DIAL PURE & NATURAL SOFT SOAP®)

Hand and Body Soap

SPARKLE liquid hand and body soap is a unique blend of gentle and effective cleaners and light pearlescent moisturizers that leave skin feeling soft and clean. SPARKLE requires no dilution and is recommended for use in wall mounted refillable dispensers.

Specification: 485-13-1

485-86-90300-6 6-1 Gallon/Case



FIRE QUENCH

Fire Fighting Liquid Foam

FIRE QUENCH is used as a foam for class "A" fires. It meets USDA requirements for application from fixed wing air tankers, helicopters with fixed tanks, buckets, and ground engines. FIRE QUENCH has a shelf life of more than one year. FIRE QUENCH mixing ratio for Class "A" fires is 1% - 3% depending on the hardness of the water.

340-41-10005-7 5 Gallon

340-41-110055-2 55 Gallon Drum



CONTROL KIT AND SPILL KITS



CONTAMINATION CONTROL KIT

This kit contains personal protective equipment, when appropriately used, may prevent skin and mucosal exposure to blood or body fluids and is designed to prevent infection from biohazard spills. Included are: instructions, disposable gloves, alcohol pads, paper towels, cloth rags, one clear plastic bag, one red bag marked "BIOHAZARD", one bottle of Lysol 1.C.Bactericidal Solution (E.P.A. # 47371-129-675), safety goggles, splash shield, fluid-resistant surgical gown, surgical mask, fluid-resistant shoe covers, and Rescue Breather with one-way valve. Suitable for use by schools, jails, police, fire, and probation departments.

345-74-59127-6 **10 Kits Per Case**



SPILL KITS

This spill kit is designed to prevent infection from biohazard spills. It provides instructions and materials for the safe and efficient removal of potentially hazardous body fluids. Included are: disposable gloves, paper towels, cloth rags, one clear plastic bag, one red plastic bag and one pint of disinfectant.

345-74-59222-5 **10 kits Per Case**



SPILL ABSORBENT FUEL COLLAR

Save time, save money and save yourself a mess! Spills, drips and leaks are no match for these high-capacity cotton-filled absorbent socks. Absorbent socks rapidly absorb water, solvents, water-based liquids, oils, coolants, and other non-aggressive spills. They are convenient for in-plant cleanup and maintenance use. Durable outer casing won't fall apart when saturated. Simply wrap socks around drums, pails, or machinery to catch leaks or spills and avoid messes in your workplace.

Size: 5" x 2" Open

485-74-04148-8

SPILL ABSORBENT SOCKS

Save time, save money and save yourself a mess! Spills, drips and leaks are no match for these high-capacity cotton-filled absorbent socks. Absorbent socks rapidly absorb water, solvents, water-based liquids, oils, coolants, and other non-aggressive spills. They are convenient for in-plant cleanup and maintenance use. Durable outer casing won't fall apart when saturated. Simply wrap socks around drums, pails, or machinery to catch leaks or spills and avoid messes in your workplace. Additional sizes upon request.

Size: 17" Long x 3" Diameter

485-74-04659-4